

## Smyle - Distillate Cartridge - Blue Razz 042121 - 1.5mL

METRC Sample: 1A4060300005597000003034; METRC Batch: 1A40603000042E4000003568

Sample ID: 2105BSD0270.0719

Produced:

Distributor

Producer

Strain: Blue Razz 042121 - 1.5mL

Collected: 05/05/2021

2103 D, LLC

3247 A M, LLC

Matrix: Concentrates &amp; Extracts

Received: 05/05/2021

Lic. # C11-0000881-LIC

Lic. # CDPH-10002982

Type: Distillate

Completed: 05/13/2021

3247 Needles Hwy

3241 Needle Hwy Needles, CA 92363

Sample Size: 10 units; Batch: 478 units

Batch#: SMY-P02315-CART-042121

Needles, CA 92363



### Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	05/06/2021	Complete
Residual Solvents	05/06/2021	Pass
Microbials	05/06/2021	Pass
Mycotoxins	05/06/2021	Pass
Pesticides	05/06/2021	Pass
Heavy Metals	05/07/2021	Pass
Foreign Matter	05/06/2021	Pass

### Cannabinoids by HPLC-UV

Complete

**979.88 mg/serving**

Total THC

**ND**

Total CBD

**1,143.79 mg/serving**

Total Cannabinoids

Analyte	LOQ	LOD	Result	Result	Result	Result
	mg/g	mg/g	mg/g	%	mg/serving	mg/container
THCa	1.000	0.35000	ND	ND	ND	ND
Δ9-THC	1.000	0.35000	653.3	65.33	979.88	979.88
Δ8-THC	1.000	0.35000	ND	ND	ND	ND
THCV	1.000	0.35000	ND	ND	ND	ND
CBDa	1.000	0.35000	ND	ND	ND	ND
CBD	1.000	0.35000	ND	ND	ND	ND
CBDV	1.000	0.35000	ND	ND	ND	ND
CBN	1.000	0.35000	25.5	2.55	38.32	38.32
CBGa	1.000	0.35000	ND	ND	ND	ND
CBG	1.000	0.35000	28.7	2.87	43.03	43.03
CBC	1.000	0.35000	55.0	5.50	82.56	82.56
<b>Total THC</b>			<b>653.30</b>	<b>65.33</b>	<b>979.88</b>	<b>979.88</b>
<b>Total CBD</b>			<b>&lt;LOQ</b>	<b>&lt;LOQ</b>	<b>&lt;LOQ</b>	<b>&lt;LOQ</b>
<b>Total</b>			<b>762.5</b>	<b>76.25</b>	<b>1143.79</b>	<b>1143.79</b>

Date Tested: 05/06/2021

1 mL = 0.9g, 1 serving(s) per container.

SOP ID: 3110; Instrumentation: Shimadzu Prominence LC-2030C Plus

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation, LOD = Limit of Detection, NR = Not Reported, NT = Not Tested, ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

**Not Tested**

Moisture Content by Moisture Balance (SOP ID: 3810)

**NT**

Not Tested

Water Activity by Hydrometer (SOP ID: 3710)

**Pass**

Foreign Materials by Magnifying Glass (SOP ID: 3020)



ISO 17025:2017 Accredited



Hinaxi Patel  
Technical Director  
05/13/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com


## Smyle - Distillate Cartridge - Blue Razz 042121 - 1.5mL

METRC Sample: 1A4060300005597000003034; METRC Batch: 1A40603000042E4000003568

Sample ID: 2105BSD0270.0719

Produced:

Distributor

Producer

Strain: Blue Razz 042121 - 1.5mL

Collected: 05/05/2021

2103 D, LLC

3247 A M, LLC

Matrix: Concentrates &amp; Extracts

Received: 05/05/2021

Lic. # C11-0000881-LIC

Lic. # CDPH-10002982

Type: Distillate

Completed: 05/13/2021

3247 Needles Hwy

3241 Needle Hwy Needles, CA 92363

Sample Size: 10 units; Batch: 478 units

Batch#: SMY-P02315-CART-042121

Needles, CA 92363

## Pesticides by LCMS/MS & GCMS/MS

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.01	0.1	0.1	ND	Pass	Fludioxonil	0.01	0.1	0.1	ND	Pass
Acephate	0.01	0.1	0.1	ND	Pass	Hexythiazox	0.01	0.1	0.1	ND	Pass
Acequinocyl	0.01	0.1	0.1	ND	Pass	Imazalil	0.01	0.1	0.01	ND	Pass
Acetamiprid	0.01	0.1	0.1	ND	Pass	Imidacloprid	0.01	0.1	5	ND	Pass
Aldicarb	0.01	0.1	0.01	ND	Pass	Kresoxim Methyl	0.01	0.1	0.1	ND	Pass
Azoxystrobin	0.01	0.1	0.1	ND	Pass	Malathion	0.01	0.1	0.5	ND	Pass
Bifenazate	0.01	0.1	0.1	ND	Pass	Metalaxyl	0.01	0.1	2	ND	Pass
Bifenthrin	0.01	0.1	3	ND	Pass	Methiocarb	0.01	0.1	0.01	ND	Pass
Boscalid	0.01	0.1	0.1	ND	Pass	Methomyl	0.01	0.1	1	ND	Pass
Captan	0.01	0.1	0.7	ND	Pass	Mevinphos	0.01	0.1	0.01	ND	Pass
Carbaryl	0.01	0.1	0.5	ND	Pass	Myclobutanil	0.01	0.1	0.1	ND	Pass
Carbofuran	0.01	0.1	0.01	ND	Pass	Naled	0.01	0.1	0.1	ND	Pass
Chlorantraniliprole	0.01	0.1	10	ND	Pass	Oxamyl	0.01	0.1	0.5	ND	Pass
Chlordane	0.01	0.1	0.01	ND	Pass	Paclobutrazol	0.01	0.1	0.01	ND	Pass
Chlorfenapyr	0.01	0.1	0.01	ND	Pass	Parathion Methyl	0.01	0.1	0.01	ND	Pass
Chlorpyrifos	0.01	0.1	0.01	ND	Pass	Pentachloronitrobenzene	0.01	0.1	0.1	ND	Pass
Clofentezine	0.01	0.1	0.1	ND	Pass	Permethrin	0.01	0.1	0.5	ND	Pass
Coumaphos	0.01	0.1	0.01	ND	Pass	Phosmet	0.01	0.1	0.1	ND	Pass
Cyfluthrin	0.01	0.1	2	ND	Pass	Piperonyl Butoxide	0.01	0.1	3	ND	Pass
Cypermethrin	0.01	0.1	1	ND	Pass	Prallethrin	0.01	0.1	0.1	ND	Pass
Daminozide	0.01	0.1	0.01	ND	Pass	Propiconazole	0.01	0.1	0.1	ND	Pass
Diazinon	0.01	0.1	0.1	ND	Pass	Propoxur	0.01	0.1	0.01	ND	Pass
Dichlorvos	0.01	0.1	0.01	ND	Pass	Pyrethrins	0.01	0.1	0.5	ND	Pass
Dimethoate	0.01	0.1	0.01	ND	Pass	Pyridaben	0.01	0.1	0.1	ND	Pass
Dimethomorph	0.01	0.1	2	ND	Pass	Spinetoram	0.01	0.1	0.1	ND	Pass
Ethoprophos	0.01	0.1	0.01	ND	Pass	Spinosad	0.01	0.1	0.1	ND	Pass
Etofenprox	0.01	0.1	0.01	ND	Pass	Spiromesifen	0.01	0.1	0.1	ND	Pass
Etoazole	0.01	0.1	0.1	ND	Pass	Spirotetramat	0.01	0.1	0.1	ND	Pass
Fenhexamid	0.01	0.1	0.1	ND	Pass	Spiroxamine	0.01	0.1	0.01	ND	Pass
Fenoxycarb	0.01	0.1	0.01	ND	Pass	Tebuconazole	0.01	0.1	0.1	ND	Pass
Fenpyroximate	0.01	0.1	0.1	ND	Pass	Thiacloprid	0.01	0.1	0.01	ND	Pass
Fipronil	0.01	0.1	0.01	ND	Pass	Thiamethoxam	0.01	0.1	5	ND	Pass
Flonicamid	0.01	0.1	0.1	ND	Pass	Trifloxystrobin	0.01	0.1	0.1	ND	Pass

Date Tested: 05/06/2021

SOP ID: 3210; Instrumentation: LC MS/MS

SOP ID: 3310; Instrumentation: GC MS/MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



ISO 17025:2017 Accredited

  
Hinaxi Patel  
Technical Director  
05/13/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com


All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

## Smyle - Distillate Cartridge - Blue Razz 042121 - 1.5mL

METRC Sample: 1A4060300005597000003034; METRC Batch: 1A40603000042E4000003568

<b>Sample ID:</b> 2105BSD0270.0719	<b>Produced:</b>	<b>Distributor</b>	<b>Producer</b>
Strain: Blue Razz 042121 - 1.5mL	Collected: 05/05/2021	<b>2103 D, LLC</b>	<b>3247 A M, LLC</b>
Matrix: Concentrates & Extracts	Received: 05/05/2021	Lic. # C11-0000881-LIC	Lic. # CDPH-10002982
Type: Distillate	Completed: 05/13/2021	3247 Needles Hwy	3241 Needle Hwy Needles, CA 92363
Sample Size: 10 units; Batch: 478 units	Batch#: SMY-P02315-CART-042121	Needles, CA 92363	

### Microbials by qPCR/Microbial Agar Culture

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 05/06/2021

SOP ID: 3010; Instrumentation: PathogenDx microarray qPCR

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

### Mycotoxins by LCMS/MS

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.5	1		ND	Tested
B2	0.5	1		ND	Tested
G1	0.5	1		ND	Tested
G2	0.5	1		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.5	1	20	ND	Pass

Date Tested: 05/06/2021

SOP ID: 3210; Instrumentation: LC MS/MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Heavy Metals by ICP-MS

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0038	0.02	0.2	ND	Pass
Cadmium	0.0049	0.02	0.2	ND	Pass
Lead	0.0017	0.04	0.5	ND	Pass
Mercury	0.0087	0.02	0.1	ND	Pass

Date Tested: 05/07/2021

SOP ID: 3410; Instrumentation: ICP-MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



ISO 17025:2017 Accredited

Firas Tamary  
Laboratory Director  
05/13/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com


All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

## Smyle - Distillate Cartridge - Blue Razz 042121 - 1.5mL

METRC Sample: 1A406030000597000003034; METRC Batch: 1A40603000042E4000003568

**Sample ID: 2105BSD0270.0719**
**Produced:**
**Distributor**
**Producer**

Strain: Blue Razz 042121 - 1.5mL

Collected: 05/05/2021

**2103 D, LLC**
**3247 A M, LLC**

Matrix: Concentrates &amp; Extracts

Received: 05/05/2021

Lic. # C11-0000881-LIC

Lic. # CDPH-10002982

Type: Distillate

Completed: 05/13/2021

3247 Needles Hwy

3241 Needle Hwy Needles, CA 92363

Sample Size: 10 units; Batch: 478 units

 Batch#: SMY-P02315-  
 CART-042121

Needles, CA 92363

## Residual Solvents by GCMS/MS & GC-FID

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.0096	0.029	1	ND	Pass
Acetone	0.6879	2.0845	5000	14.752	Pass
Acetonitrile	1.223	3.7061	410	7.922	Pass
Benzene	0.0116	0.0352	1	0.122	Pass
Butane	0.2369	0.718	5000	11.891	Pass
Chloroform	0.0089	0.0269	1	ND	Pass
Ethanol	1.278	3.8728	5000	45.993	Pass
Ethyl-Acetate	0.7236	2.1928	5000	79.082	Pass
Ethyl-Ether	1.8144	5.4981	5000	ND	Pass
Ethylene Oxide	0.0165	0.0501	1	0.362	Pass
Heptane	0.6242	1.8916	5000	<LOQ	Pass
Isopropanol	1.6079	4.8723	5000	ND	Pass
Methanol	1.3447	4.075	3000	<LOQ	Pass
Methylene-Chloride	0.0152	0.046	1	ND	Pass
n-Hexane	0.6206	1.8807	290	2.299	Pass
Pentane	0.7555	2.2895	5000	3.866	Pass
Propane	0.2218	0.6721	5000	ND	Pass
Toluene	0.9906	3.002	890	3.996	Pass
Trichloroethene	0.0096	0.029	1	ND	Pass
Xylenes	1.7346	5.2563	2170	ND	Pass

Date Tested: 05/06/2021

SOP ID: 3510; Instrumentation: HS-GCMS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



ISO 17025:2017 Accredited



 Hinaxi Patel  
 Technical Director  
 05/13/2021

 Confident Cannabis  
 All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
 (866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)


All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.