

## Smyle - Distillate Cartridge - Wedding Cake 041921 - 1.5mL

METRC Sample: 1A4060300005597000003031; METRC Batch: 1A40603000042E4000003564

|   |                       |                        |                                   |
|---|-----------------------|------------------------|-----------------------------------|
| <b>Sample ID:</b> 2105BSD0270.0716      | <b>Produced:</b>      | <b>Distributor</b>     | <b>Producer</b>                   |
| Strain: Wedding Cake 041921 - 1.5mL     | Collected: 05/05/2021 | <b>2103 D, LLC</b>     | <b>3247 A M, LLC</b>              |
| Matrix: Concentrates & Extracts         | Received: 05/05/2021  | Lic. # C11-0000881-LIC | Lic. # CDPH-10002982              |
| Type: Distillate                        | Completed: 05/13/2021 | 3247 Needles Hwy       | 3241 Needle Hwy Needles, CA 92363 |
| Sample Size: 10 units; Batch: 470 units | Batch#: R02297        | Needles, CA 92363      |                                   |



### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      | 05/06/2021  | Complete |
| Residual Solvents | 05/06/2021  | Pass     |
| Microbials        | 05/06/2021  | Pass     |
| Mycotoxins        | 05/06/2021  | Pass     |
| Pesticides        | 05/06/2021  | Pass     |
| Heavy Metals      | 05/07/2021  | Pass     |
| Foreign Matter    | 05/06/2021  | Pass     |

### Cannabinoids by HPLC-UV

Complete

|                          |           |                            |
|--------------------------|-----------|----------------------------|
| <b>983.91 mg/serving</b> | <b>ND</b> | <b>1,191.46 mg/serving</b> |
| Total THC                | Total CBD | Total Cannabinoids         |

| Analyte          | LOQ   | LOD     | Result         | Result         | Result         | Result         |
|------------------|-------|---------|----------------|----------------|----------------|----------------|
|                  | mg/g  | mg/g    | mg/g           | %              | mg/serving     | mg/container   |
| THCa             | 1.000 | 0.35000 | ND             | ND             | ND             | ND             |
| Δ9-THC           | 1.000 | 0.35000 | 655.9          | 65.59          | 983.91         | 983.91         |
| Δ8-THC           | 1.000 | 0.35000 | ND             | ND             | ND             | ND             |
| THCV             | 1.000 | 0.35000 | ND             | ND             | ND             | ND             |
| CBDa             | 1.000 | 0.35000 | ND             | ND             | ND             | ND             |
| CBD              | 1.000 | 0.35000 | ND             | ND             | ND             | ND             |
| CBDV             | 1.000 | 0.35000 | ND             | ND             | ND             | ND             |
| CBN              | 1.000 | 0.35000 | 19.0           | 1.90           | 28.52          | 28.52          |
| CBGa             | 1.000 | 0.35000 | ND             | ND             | ND             | ND             |
| CBG              | 1.000 | 0.35000 | 63.8           | 6.38           | 95.73          | 95.73          |
| CBC              | 1.000 | 0.35000 | 55.5           | 5.55           | 83.30          | 83.30          |
| <b>Total THC</b> |       |         | <b>655.90</b>  | <b>65.59</b>   | <b>983.91</b>  | <b>983.91</b>  |
| <b>Total CBD</b> |       |         | <b>&lt;LOQ</b> | <b>&lt;LOQ</b> | <b>&lt;LOQ</b> | <b>&lt;LOQ</b> |
| <b>Total</b>     |       |         | <b>794.3</b>   | <b>79.43</b>   | <b>1191.46</b> | <b>1191.46</b> |

Date Tested: 05/06/2021

1 mL = 0.9g, 1 serving(s) per container.

SOP ID: 3110; Instrumentation: Shimadzu Prominence LC-2030C Plus

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation, LOD = Limit of Detection, NR = Not Reported, NT = Not Tested, ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

|   |   |  |
|---|---|--|
| <b>Not Tested</b>                                   | <b>NT</b><br>Not Tested                     | <b>Pass</b>  |
| Moisture Content by Moisture Balance (SOP ID: 3810) | Water Activity by Hydrometer (SOP ID: 3710) | Foreign Materials by Magnifying Glass (SOP ID: 3020) |



ISO 17025:2017 Accredited



Hinaxi Patel  
Technical Director  
05/13/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



## Smyle - Distillate Cartridge - Wedding Cake 041921 - 1.5mL

METRC Sample: 1A4060300005597000003031; METRC Batch: 1A40603000042E4000003564

|   |                       |                        |                                   |
|---|-----------------------|------------------------|-----------------------------------|
| <b>Sample ID:</b> 2105BSD0270.0716      | <b>Produced:</b>      | <b>Distributor</b>     | <b>Producer</b>                   |
| Strain: Wedding Cake 041921 - 1.5mL     | Collected: 05/05/2021 | <b>2103 D, LLC</b>     | <b>3247 A M, LLC</b>              |
| Matrix: Concentrates & Extracts         | Received: 05/05/2021  | Lic. # C11-0000881-LIC | Lic. # CDPH-10002982              |
| Type: Distillate                        | Completed: 05/13/2021 | 3247 Needles Hwy       | 3241 Needle Hwy Needles, CA 92363 |
| Sample Size: 10 units; Batch: 470 units | Batch#: R02297        | Needles, CA 92363      |                                   |

### Pesticides by LCMS/MS & GCMS/MS

Pass

| Analyte             | LOD  | LOQ  | Limit | Mass | Status | Analyte                 | LOD  | LOQ  | Limit | Mass | Status |
|---------------------|------|------|-------|------|--------|-------------------------|------|------|-------|------|--------|
|                     | µg/g | µg/g | µg/g  | µg/g |        |                         | µg/g | µg/g | µg/g  | µg/g |        |
| Abamectin           | 0.01 | 0.1  | 0.1   | ND   | Pass   | Fludioxonil             | 0.01 | 0.1  | 0.1   | ND   | Pass   |
| Acephate            | 0.01 | 0.1  | 0.1   | ND   | Pass   | Hexythiazox             | 0.01 | 0.1  | 0.1   | ND   | Pass   |
| Acequinocyl         | 0.01 | 0.1  | 0.1   | ND   | Pass   | Imazalil                | 0.01 | 0.1  | 0.01  | ND   | Pass   |
| Acetamiprid         | 0.01 | 0.1  | 0.1   | ND   | Pass   | Imidacloprid            | 0.01 | 0.1  | 5     | ND   | Pass   |
| Aldicarb            | 0.01 | 0.1  | 0.01  | ND   | Pass   | Kresoxim Methyl         | 0.01 | 0.1  | 0.1   | ND   | Pass   |
| Azoxystrobin        | 0.01 | 0.1  | 0.1   | ND   | Pass   | Malathion               | 0.01 | 0.1  | 0.5   | ND   | Pass   |
| Bifenazate          | 0.01 | 0.1  | 0.1   | ND   | Pass   | Metalaxyl               | 0.01 | 0.1  | 2     | ND   | Pass   |
| Bifenthrin          | 0.01 | 0.1  | 3     | ND   | Pass   | Methiocarb              | 0.01 | 0.1  | 0.01  | ND   | Pass   |
| Boscalid            | 0.01 | 0.1  | 0.1   | ND   | Pass   | Methomyl                | 0.01 | 0.1  | 1     | ND   | Pass   |
| Captan              | 0.01 | 0.1  | 0.7   | ND   | Pass   | Mevinphos               | 0.01 | 0.1  | 0.01  | ND   | Pass   |
| Carbaryl            | 0.01 | 0.1  | 0.5   | ND   | Pass   | Myclobutanil            | 0.01 | 0.1  | 0.1   | ND   | Pass   |
| Carbofuran          | 0.01 | 0.1  | 0.01  | ND   | Pass   | Naled                   | 0.01 | 0.1  | 0.1   | ND   | Pass   |
| Chlorantraniliprole | 0.01 | 0.1  | 10    | ND   | Pass   | Oxamyl                  | 0.01 | 0.1  | 0.5   | ND   | Pass   |
| Chlordane           | 0.01 | 0.1  | 0.01  | ND   | Pass   | Pacllobutrazol          | 0.01 | 0.1  | 0.01  | ND   | Pass   |
| Chlorfenapyr        | 0.01 | 0.1  | 0.01  | ND   | Pass   | Parathion Methyl        | 0.01 | 0.1  | 0.01  | ND   | Pass   |
| Chlorpyrifos        | 0.01 | 0.1  | 0.01  | ND   | Pass   | Pentachloronitrobenzene | 0.01 | 0.1  | 0.1   | ND   | Pass   |
| Clofentezine        | 0.01 | 0.1  | 0.1   | ND   | Pass   | Permethrin              | 0.01 | 0.1  | 0.5   | ND   | Pass   |
| Coumaphos           | 0.01 | 0.1  | 0.01  | ND   | Pass   | Phosmet                 | 0.01 | 0.1  | 0.1   | ND   | Pass   |
| Cyfluthrin          | 0.01 | 0.1  | 2     | ND   | Pass   | Piperonyl Butoxide      | 0.01 | 0.1  | 3     | ND   | Pass   |
| Cypermethrin        | 0.01 | 0.1  | 1     | ND   | Pass   | Prallethrin             | 0.01 | 0.1  | 0.1   | ND   | Pass   |
| Daminozide          | 0.01 | 0.1  | 0.01  | ND   | Pass   | Propiconazole           | 0.01 | 0.1  | 0.1   | ND   | Pass   |
| Diazinon            | 0.01 | 0.1  | 0.1   | ND   | Pass   | Propoxur                | 0.01 | 0.1  | 0.01  | ND   | Pass   |
| Dichlorvos          | 0.01 | 0.1  | 0.01  | ND   | Pass   | Pyrethrins              | 0.01 | 0.1  | 0.5   | ND   | Pass   |
| Dimethoate          | 0.01 | 0.1  | 0.01  | ND   | Pass   | Pyridaben               | 0.01 | 0.1  | 0.1   | ND   | Pass   |
| Dimethomorph        | 0.01 | 0.1  | 2     | ND   | Pass   | Spinetoram              | 0.01 | 0.1  | 0.1   | ND   | Pass   |
| Ethoprophos         | 0.01 | 0.1  | 0.01  | ND   | Pass   | Spinosad                | 0.01 | 0.1  | 0.1   | ND   | Pass   |
| Etofenprox          | 0.01 | 0.1  | 0.01  | ND   | Pass   | Spiromesifen            | 0.01 | 0.1  | 0.1   | ND   | Pass   |
| Etoxazole           | 0.01 | 0.1  | 0.1   | ND   | Pass   | Spirotetramat           | 0.01 | 0.1  | 0.1   | ND   | Pass   |
| Fenhexamid          | 0.01 | 0.1  | 0.1   | ND   | Pass   | Spiroxamine             | 0.01 | 0.1  | 0.01  | ND   | Pass   |
| Fenoxycarb          | 0.01 | 0.1  | 0.01  | ND   | Pass   | Tebuconazole            | 0.01 | 0.1  | 0.1   | ND   | Pass   |
| Fenpyroximate       | 0.01 | 0.1  | 0.1   | ND   | Pass   | Thiacloprid             | 0.01 | 0.1  | 0.01  | ND   | Pass   |
| Fipronil            | 0.01 | 0.1  | 0.01  | ND   | Pass   | Thiamethoxam            | 0.01 | 0.1  | 5     | ND   | Pass   |
| Flonicamid          | 0.01 | 0.1  | 0.1   | ND   | Pass   | Trifloxystrobin         | 0.01 | 0.1  | 0.1   | ND   | Pass   |

Date Tested: 05/06/2021

SOP ID: 3210; Instrumentation: LC MS/MS

SOP ID: 3310; Instrumentation: GC MS/MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



ISO 17025:2017 Accredited



Hinaxi Patel  
Technical Director  
05/13/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

## Smyle - Distillate Cartridge - Wedding Cake 041921 - 1.5mL

METRC Sample: 1A406030000597000003031; METRC Batch: 1A40603000042E4000003564

|   |                       |                        |                                   |
|---|-----------------------|------------------------|-----------------------------------|
| <b>Sample ID:</b> 2105BSD0270.0716      | <b>Produced:</b>      | <b>Distributor</b>     | <b>Producer</b>                   |
| Strain: Wedding Cake 041921 - 1.5mL     | Collected: 05/05/2021 | <b>2103 D, LLC</b>     | <b>3247 A M, LLC</b>              |
| Matrix: Concentrates & Extracts         | Received: 05/05/2021  | Lic. # C11-0000881-LIC | Lic. # CDPH-10002982              |
| Type: Distillate                        | Completed: 05/13/2021 | 3247 Needles Hwy       | 3241 Needle Hwy Needles, CA 92363 |
| Sample Size: 10 units; Batch: 470 units | Batch#: R02297        | Needles, CA 92363      |                                   |

### Microbials by qPCR/Microbial Agar Culture

Pass

| Analyte                       | Result             | Status |
|-------------------------------|--------------------|--------|
| Aspergillus flavus            | Not Detected in 1g | Pass   |
| Aspergillus fumigatus         | Not Detected in 1g | Pass   |
| Aspergillus niger             | Not Detected in 1g | Pass   |
| Aspergillus terreus           | Not Detected in 1g | Pass   |
| Shiga toxin-producing E. Coli | Not Detected in 1g | Pass   |
| Salmonella SPP                | Not Detected in 1g | Pass   |

Date Tested: 05/06/2021  
SOP ID: 3010; Instrumentation: PathogenDx microarray qPCR  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

### Mycotoxins by LCMS/MS

Pass

| Analyte          | LOD   | LOQ   | Limit | Units | Status |
|------------------|-------|-------|-------|-------|--------|
|                  | µg/kg | µg/kg | µg/kg | µg/kg |        |
| B1               | 0.5   | 1     |       | ND    | Tested |
| B2               | 0.5   | 1     |       | ND    | Tested |
| G1               | 0.5   | 1     |       | ND    | Tested |
| G2               | 0.5   | 1     |       | ND    | Tested |
| Total Aflatoxins |       |       | 20    | ND    | Pass   |
| Ochratoxin A     | 0.5   | 1     | 20    | ND    | Pass   |

Date Tested: 05/06/2021  
SOP ID: 3210; Instrumentation: LC MS/MS  
LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Heavy Metals by ICP-MS

Pass

| Analyte | LOD    | LOQ  | Limit | Units | Status |
|---------|--------|------|-------|-------|--------|
|         | µg/g   | µg/g | µg/g  | µg/g  |        |
| Arsenic | 0.0038 | 0.02 | 0.2   | ND    | Pass   |
| Cadmium | 0.0049 | 0.02 | 0.2   | ND    | Pass   |
| Lead    | 0.0017 | 0.04 | 0.5   | ND    | Pass   |
| Mercury | 0.0087 | 0.02 | 0.1   | ND    | Pass   |

Date Tested: 05/07/2021  
SOP ID: 3410; Instrumentation: ICP-MS  
LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



ISO 17025:2017 Accredited



Firas Tamary  
Laboratory Director  
05/13/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



## Smyle - Distillate Cartridge - Wedding Cake 041921 - 1.5mL

METRC Sample: 1A4060300005597000003031; METRC Batch: 1A40603000042E4000003564

|   |                       |                        |                                   |
|---|-----------------------|------------------------|-----------------------------------|
| <b>Sample ID:</b> 2105BSD0270.0716      | <b>Produced:</b>      | <b>Distributor</b>     | <b>Producer</b>                   |
| Strain: Wedding Cake 041921 - 1.5mL     | Collected: 05/05/2021 | <b>2103 D, LLC</b>     | <b>3247 A M, LLC</b>              |
| Matrix: Concentrates & Extracts         | Received: 05/05/2021  | Lic. # C11-0000881-LIC | Lic. # CDPH-10002982              |
| Type: Distillate                        | Completed: 05/13/2021 | 3247 Needles Hwy       | 3241 Needle Hwy Needles, CA 92363 |
| Sample Size: 10 units; Batch: 470 units | Batch#: R02297        | Needles, CA 92363      |                                   |

### Residual Solvents by GCMS/MS & GC-FID

Pass

| Analyte             | LOD    | LOQ    | Limit | Mass   | Status |
|---------------------|--------|--------|-------|--------|--------|
|                     | µg/g   | µg/g   | µg/g  | µg/g   |        |
| 1,2-Dichloro-Ethane | 0.0096 | 0.029  | 1     | ND     | Pass   |
| Acetone             | 0.6879 | 2.0845 | 5000  | 10.690 | Pass   |
| Acetonitrile        | 1.223  | 3.7061 | 410   | 7.377  | Pass   |
| Benzene             | 0.0116 | 0.0352 | 1     | 0.110  | Pass   |
| Butane              | 0.2369 | 0.718  | 5000  | 12.552 | Pass   |
| Chloroform          | 0.0089 | 0.0269 | 1     | ND     | Pass   |
| Ethanol             | 1.278  | 3.8728 | 5000  | 27.501 | Pass   |
| Ethyl-Acetate       | 0.7236 | 2.1928 | 5000  | 5.885  | Pass   |
| Ethyl-Ether         | 1.8144 | 5.4981 | 5000  | ND     | Pass   |
| Ethylene Oxide      | 0.0165 | 0.0501 | 1     | 0.256  | Pass   |
| Heptane             | 0.6242 | 1.8916 | 5000  | <LOQ   | Pass   |
| Isopropanol         | 1.6079 | 4.8723 | 5000  | ND     | Pass   |
| Methanol            | 1.3447 | 4.075  | 3000  | <LOQ   | Pass   |
| Methylene-Chloride  | 0.0152 | 0.046  | 1     | ND     | Pass   |
| n-Hexane            | 0.6206 | 1.8807 | 290   | 2.269  | Pass   |
| Pentane             | 0.7555 | 2.2895 | 5000  | 3.787  | Pass   |
| Propane             | 0.2218 | 0.6721 | 5000  | ND     | Pass   |
| Toluene             | 0.9906 | 3.002  | 890   | 3.816  | Pass   |
| Trichloroethene     | 0.0096 | 0.029  | 1     | ND     | Pass   |
| Xylenes             | 1.7346 | 5.2563 | 2170  | ND     | Pass   |

Date Tested: 05/06/2021

SOP ID: 3510; Instrumentation: HS-GCMS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



ISO 17025:2017 Accredited



Hinaxi Patel  
Technical Director  
05/13/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.