

13340 Saticoy Street Unit H
North Hollywood, CA 91605
Lic# C8-0000104-LIC




(818) 979-9474
http://www.caligreenlaboratory.com

Smyle Strawberry Banana - 1.5g Disposable Pen

METRC Sample: 1A406030001E26E000002518; METRC Batch: 1A40603000041B4000000111

| | | | |
|---|-----------------------|------------------------|--|
| Sample ID: 2301CGL0120.0348 | Produced: 01/10/2023 | Distributor | Producer |
| Strain: Strawberry Banana | Collected: 01/11/2023 | Pivot Naturals | Pivot Naturals LLC |
| Matrix: Concentrates & Extracts | Received: 01/11/2023 | Lic. # C11-0001233-LIC | Lic. # CDPH-10003247 |
| Type: Vape | Completed: 01/15/2023 | 3595 Cadillac Ave | 3595 Cadillac Ave Costa Mesa, CA 92626 |
| Sample Size: 12 units; Batch: 1,000 units | Batch#: 20230003 | Costa Mesa, CA 92626 | |





Summary - Safety & Quality Tests


| Test | Date Tested | Result |
|-------|-------------|--------|
| Batch | 01/12/2023 | Pass |

| Test | Date Tested | Result |
|-------------------|-------------|----------|
| Cannabinoids | 01/13/2023 | Complete |
| Residual Solvents | 01/13/2023 | Pass |
| Microbials | 01/13/2023 | Pass |
| Mycotoxins | 01/13/2023 | Pass |
| Pesticides | 01/13/2023 | Pass |
| Heavy Metals | 01/12/2023 | Pass |
| Foreign Matter | 01/12/2023 | Pass |


| Analyte | LOD | LOQ | Result | Result | Result | Result |
|------------------|------|------|---------------|----------------|-----------------|-----------------|
| | mg/g | mg/g | % | mg/g | mg/serving | mg/container |
| THCa | 0.48 | 0.95 | ND | ND | ND | ND |
| Δ9-THC | 0.71 | 0.95 | 61.678 | 616.78 | 925.167 | 925.167 |
| Δ8-THC | 0.71 | 0.95 | ND | ND | ND | ND |
| THCV | 0.71 | 0.95 | ND | ND | ND | ND |
| CBDa | 0.48 | 0.95 | ND | ND | ND | ND |
| CBD | 0.71 | 0.95 | 11.120 | 111.20 | 166.794 | 166.794 |
| CBDV | 0.71 | 0.95 | ND | ND | ND | ND |
| CBN | 0.48 | 0.95 | 0.960 | 9.60 | 14.403 | 14.403 |
| CBGa | 0.48 | 0.95 | ND | ND | ND | ND |
| CBG | 0.71 | 0.95 | 0.498 | 4.98 | 7.473 | 7.473 |
| CBC | 0.48 | 0.95 | 0.745 | 7.45 | 11.175 | 11.175 |
| Total THC | | | 61.678 | 616.778 | 925.167 | 925.167 |
| Total CBD | | | 11.120 | 111.196 | 166.794 | 166.794 |
| Total | | | 75.001 | 750.008 | 1125.011 | 1125.011 |

1 Unit = 1 Vape, 1.5g, 1 unit(s) per serving, 1 serving(s) per container.
 Cannabinoids Date Tested: 01/13/2023
 Cannabinoids Footnotes: Potency by UHPLC: CGL-P-720-009-B
 Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.


 Samantha Lui - Laboratory Director
 01/15/2023

Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

13340 Saticoy Street Unit H
North Hollywood, CA 91605
Lic# C8-0000104-LIC



(818) 979-9474
http://www.caligreenlaboratory.com

Smyle Strawberry Banana - 1.5g Disposable Pen

METRC Sample: 1A406030001E26E000002518; METRC Batch: 1A40603000041B4000000111

Sample ID: 2301CGL0120.0348

Produced: 01/10/2023

Distributor

Producer

Strain: Strawberry Banana

Collected: 01/11/2023

Pivot Naturals

Pivot Naturals LLC

Matrix: Concentrates & Extracts

Received: 01/11/2023

Lic. # C11-0001233-LIC

Lic. # CDPH-10003247

Type: Vape

Completed: 01/15/2023

3595 Cadillac Ave

3595 Cadillac Ave Costa Mesa, CA 92626

Sample Size: 12 units; Batch: 1,000 units

Batch#: 20230003

Costa Mesa, CA 92626

Microbials Lab Results

Pass

| Analyte | Result | Analyte | Result |
|-----------------------|--------------------|-------------------------------|--------------------|
| Aspergillus flavus | Not Detected in 1g | Aspergillus terreus | Not Detected in 1g |
| Aspergillus fumigatus | Not Detected in 1g | Shiga toxin-producing E. Coli | Not Detected in 1g |
| Aspergillus niger | Not Detected in 1g | Salmonella SPP | Not Detected in 1g |

Date Tested: 01/13/2023

Microbials by qPCR: CGL-P-720-013-ATNTC = Too Numerous to Count

Mycotoxins Lab Results

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|---------|-------|-------|-------|--------|--------|------------------|-------|-------|-------|--------|--------|
| | µg/kg | µg/kg | µg/kg | µg/kg | | | µg/kg | µg/kg | µg/kg | µg/kg | |
| B1 | 1.25 | 5 | | ND | Tested | G2 | 2.5 | 5 | | ND | Tested |
| B2 | 1.25 | 5 | | ND | Tested | Ochratoxin A | 6.6 | 16.6 | 20 | ND | Pass |
| G1 | 1.25 | 5 | | ND | Tested | Total Aflatoxins | | | 20 | ND | Pass |

Date Tested: 01/13/2023

Mycotoxins by LC-MSMS: CGL-P-720-007-B

LOQ = Limit of Quantitation

Heavy Metals Lab Results

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|---------|----------|------|-------|--------|--------|---------|----------|------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.000124 | 0.05 | 0.2 | <LOQ | Pass | Lead | 0.000119 | 0.05 | 0.5 | <LOQ | Pass |
| Cadmium | 0.000111 | 0.05 | 0.2 | <LOQ | Pass | Mercury | 0.000097 | 0.05 | 0.1 | <LOQ | Pass |

Date Tested: 01/12/2023

Heavy Metals by ICP-MS: CGL-P-720-012-B

LOQ = Limit of Quantitation

Residual Solvents Lab Results

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|---------------------|--------|--------|-------|--------|--------|--------------------|--------|--------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| 1,2-Dichloro-Ethane | 0.2344 | 0.4688 | 1 | ND | Pass | Isopropanol | 23.438 | 187.5 | 5000 | ND | Pass |
| Acetone | 23.438 | 187.5 | 5000 | ND | Pass | m+p Xylene | 23.438 | 187.5 | | ND | Tested |
| Acetonitrile | 23.438 | 187.5 | 410 | ND | Pass | Methanol | 93.75 | 187.5 | 3000 | ND | Pass |
| Benzene | 0.2344 | 0.4688 | 1 | ND | Pass | Methylene-Chloride | 0.2344 | 0.4688 | 1 | ND | Pass |
| Butane | 23.438 | 93.75 | 5000 | ND | Pass | n-Hexane | 23.438 | 187.5 | 290 | ND | Pass |
| Chloroform | 0.2344 | 0.4688 | 1 | ND | Pass | o-Xylene | 23.438 | 187.5 | | ND | Tested |
| Ethanol | 23.438 | 187.5 | 5000 | ND | Pass | Pentane | 23.438 | 187.5 | 5000 | ND | Pass |
| Ethyl-Acetate | 23.438 | 187.5 | 5000 | ND | Pass | Propane | 23.438 | 93.75 | 5000 | ND | Pass |
| Ethyl-Ether | 23.438 | 187.5 | 5000 | ND | Pass | Toluene | 23.438 | 187.5 | 890 | <LOQ | Pass |
| Ethylene Oxide | 0.2344 | 0.4688 | 1 | ND | Pass | Trichloroethene | 0.2344 | 0.4688 | 1 | ND | Pass |
| Heptane | 23.438 | 187.5 | 5000 | <LOQ | Pass | Xylenes | 23.438 | 187.5 | 2170 | ND | Pass |

Date Tested: 01/13/2023

Solvents by HSGC-MS Method: SOP CGL-P-720-010-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui - Laboratory Director
01/15/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LOQ samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

13340 Saticoy Street Unit H
North Hollywood, CA 91605
Lic# C8-0000104-LIC



(818) 979-9474
http://www.caligreenlaboratory.com

Smyle Strawberry Banana - 1.5g Disposable Pen

METRC Sample: 1A406030001E26E000002518; METRC Batch: 1A40603000041B4000000111

| | | | |
|--|------------------------------|-------------------------------|---|
| Sample ID: 2301CGL0120.0348 | Produced: 01/10/2023 | Distributor: | Producer: |
| Strain: Strawberry Banana | Collected: 01/11/2023 | Pivot Naturals | Pivot Naturals LLC |
| Matrix: Concentrates & Extracts | Received: 01/11/2023 | Lic. # C11-0001233-LIC | Lic. # CDPH-10003247 |
| Type: Vape | Completed: 01/15/2023 | 3595 Cadillac Ave | 3595 Cadillac Ave Costa Mesa, CA 92626 |
| Sample Size: 12 units; Batch: 1,000 units | Batch#: 20230003 | Costa Mesa, CA 92626 | |

Pesticides Lab Results

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|---------------------|---------|-------|---------|--------|--------|-------------------------|---------|-------|---------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.0375 | 0.075 | 0.1 | ND | Pass | Fludioxonil | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Acephate | 0.01875 | 0.075 | 0.1 | ND | Pass | Hexythiazox | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Acequinocyl | 0.075 | 0.1 | 0.1 | ND | Pass | Imazalil | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Acetamiprid | 0.01875 | 0.075 | 0.1 | ND | Pass | Imidacloprid | 0.01875 | 0.075 | 5 | ND | Pass |
| Aldicarb | 0.01875 | 0.075 | 0.01875 | ND | Pass | Kresoxim Methyl | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Azoxystrobin | 0.01875 | 0.075 | 0.1 | ND | Pass | Malathion | 0.01875 | 0.1 | 0.5 | ND | Pass |
| Bifenazate | 0.01875 | 0.075 | 0.1 | ND | Pass | Metalaxyl | 0.01875 | 0.1 | 2 | ND | Pass |
| Bifenthrin | 0.01875 | 0.1 | 3 | <LOQ | Pass | Methiocarb | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Boscalid | 0.01875 | 0.075 | 0.1 | ND | Pass | Methomyl | 0.01875 | 0.075 | 1 | ND | Pass |
| Captan | 0.01875 | 0.075 | 0.7 | ND | Pass | Mevinphos | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Carbaryl | 0.01875 | 0.1 | 0.5 | ND | Pass | Myclobutanil | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Carbofuran | 0.01875 | 0.075 | 0.01875 | ND | Pass | Naled | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Chlorantraniliprole | 0.01875 | 0.1 | 10 | ND | Pass | Oxamyl | 0.01875 | 0.075 | 0.5 | ND | Pass |
| Chlordane | 0.01875 | 0.075 | 0.01875 | ND | Pass | Paclobutrazol | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Chlorfenapyr | 0.01875 | 0.075 | 0.01875 | ND | Pass | Parathion Methyl | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Chlorpyrifos | 0.01875 | 0.075 | 0.01875 | ND | Pass | Pentachloronitrobenzene | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Clofentezine | 0.01875 | 0.075 | 0.1 | ND | Pass | Permethrin | 0.01875 | 0.1 | 0.5 | 0.238 | Pass |
| Coumaphos | 0.01875 | 0.075 | 0.01875 | ND | Pass | Phosmet | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Cyfluthrin | 0.01875 | 0.075 | 2 | ND | Pass | Piperonyl Butoxide | 0.01875 | 0.1 | 3 | <LOQ | Pass |
| Cypermethrin | 0.01875 | 0.075 | 1 | ND | Pass | Prallethrin | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Daminozide | 0.01875 | 0.075 | 0.01875 | ND | Pass | Propiconazole | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Diazinon | 0.01875 | 0.075 | 0.1 | ND | Pass | Propoxur | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Dichlorvos | 0.01875 | 0.075 | 0.01875 | ND | Pass | Pyrethrins | 0.0375 | 0.1 | 0.5 | <LOQ | Pass |
| Dimethoate | 0.01875 | 0.075 | 0.01875 | ND | Pass | Pyridaben | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Dimethomorph | 0.01875 | 0.1 | 2 | ND | Pass | Spinetoram | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Ethoprophos | 0.01875 | 0.075 | 0.01875 | ND | Pass | Spinosad | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Etofenprox | 0.0375 | 0.075 | 0.0375 | ND | Pass | Spiromesifen | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Etoxazole | 0.01875 | 0.075 | 0.1 | ND | Pass | Spirotetramat | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Fenhexamid | 0.0375 | 0.075 | 0.1 | ND | Pass | Spiroxamine | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Fenoxycarb | 0.01875 | 0.075 | 0.01875 | ND | Pass | Tebuconazole | 0.01875 | 0.075 | 0.1 | <LOQ | Pass |
| Fenpyroximate | 0.05625 | 0.075 | 0.1 | ND | Pass | Thiacloprid | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Fipronil | 0.01875 | 0.075 | 0.01875 | ND | Pass | Thiamethoxam | 0.01875 | 0.075 | 5 | ND | Pass |
| Fonicamid | 0.0375 | 0.075 | 0.1 | ND | Pass | Trifloxystrobin | 0.01875 | 0.075 | 0.1 | <LOQ | Pass |

Date Tested: 01/13/2023
Pesticides by LC-MS/MS: CGL-P-720-007-B; Pesticides by GC-MS/MS: CGL-P-720-008-B
LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui
Samantha Lui - Laboratory Director
01/15/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.